

NexGen

CREATION


BROADLOOM CARPET




WFL-A0219




WFL-A0220




WFL-A1578




WFL-A1477



WFL-A1701




WFL-A2172




WFL-A0294




WFL-A0295




WFL-A0545



WFL-A0008



WFL-A1477




WFL-A1702




WFL-A1798



WFL-A1795



WFL-A1821



WFL-A1784



WFL-A006



WFL-A0842



WFL-A0432




WFL-A2196




WFL-A1815




WFL-A0821




WFL-A0008




WFL-A0221



WFL-A0296




WFL-A1000




WFL-A0277




WFL-A1995




WFL-A1996




WFL-A1997



WFL-A1782




WFL-A0222




WFL-A0223




WFL-A1799




WFL-A0300




WFL-A0406




WFL-A0101



WFL-A0106



WFL-A0317




WFL-A0097



WFL-A0069



WFL-A0209



WFL-A0353




WFL-A0107



WFL-A0108




WFL-A0143




WFL-A0806



WFL-A0142




WFL-A1700



WFL-A0806



WFL-A1001



WFL-A1002



WFL-A1003



WFL-A1004

CARPET

BROADLOOM CARPET

Technical Information

Yarn Content	100% Nylon - Bright		
Pile Weight	800 GSM (± 5%)	1000 GSM (± 5%)	1200 GSM (± 5%)
Total Weight	1791 GSM (± 5%)	1991 GSM (± 5%)	2191 GSM (± 5%)
Pile Height	7 mm (± 1 mm)	8 mm (± 1 mm)	8 mm (± 1 mm)
Total Height	11 mm (± 1 mm)	11 mm (± 1 mm)	11 mm (± 1 mm)
Secondry Backing	PP Mesh		
Gauge	1/8 Cut Pile		
Latex	Natural Rubber		
Dye Method	Printed		
Dye Stuff	Metal Complex Dyes		
Color Fastness	Wet:4 , Dry: 5		
Color Matching	Batch to batch variations in shade may occur within commercial tolerances.		
Anti- Microbial / Anti-Fungal	AATC147		
Flammability	BS EN: 1021 part 1 & 2 (Cigarette & Match) *Certificates available on request. ***Note: Flammability performance is dependent on components used. Our certificates show what substrates have been used in our tests. For composite tests customers must ensure their complete furniture meets the necessary standards.***		
Suitable For	Wall Carpet		
Cleaning	Vacuum regularly, Professionally dry clean or wipe clean with a damp cloth.		